



**KULZER**  
MITSUI CHEMICALS GROUP

# MINI GUIDE

## CHARISMA ONE BEFORE & AFTER CASE REPORTS

# ONE

EXPERIENCED  
SOLUTION



What to consider before  
uploading your ONE case



## Case requirements:

- Please make sure that the photographs show the usage of **Charisma Diamond / Charisma Topaz ONE**.
- Focus on the **everyday basic restorations (preferably posterior cases - class I & II)** which are normally not individualised by staining shades.
- In case the entire treatment is shown, please consider these steps: initial situation, excavation, preparation, adhesive application (GLUMA Bond Universal), placement of Charisma ONE shade, finishing & polishing (Charisma EasyShine) and if possible after rehydration.
- Preferably use rubber dam.



## Photography requirements:

- A **Digital SLR camera** with ring or lateral flash should be used **in combination with a macro lens**.
- Take photographs as **RAW- , TIF- or highest quality JPEG-** file format.
- Photographs should be **sharp** with a **high depth of field (large aperture value)**.
- Use always the same photo details in a series of photographs.
- Preferably use a **clean, non-fogged photo-mirror** for photographs of occlusal/lateral aspects.
- Make sure that the lips and tongue are sufficiently retracted and the **clinical situation is clean and dry**.
- If you take full face photographs which make the patient recognisable, ensure that you have the written consent by the patient (please keep it with your records).

## FOCUS ON:

- PRESENTING A CHARISMA ONE EVERYDAY CASE & NOT HIGH-AESTHETIC MULTI-SHADE OR INDIVIDUAL CHARACTERIZATION TECHNIQUES (E.G. STAINING OF FISSURES)
- ONLY ONE AND NO OTHER SHADES SHOULD BE USED
- GOOD COLOUR ADAPTATION PREFERABLY IN POSTERIOR CASES (CLASS I AND II)
- EXCELLENT HANDLING PROPERTIES: STAYS IN PLACE, OCCLUSAL FUNCTIONAL SURFACES CAN BE ESTABLISHED EASILY AND FAST WITHOUT SLUMPING OF THE MATERIAL
- MATERIAL STRENGTH: MATERIAL IS SUITABLE ALSO FOR LARGER RESTORATIONS. ITS STRENGTH REDUCES CHIPPING AND FRACTURE. THE STRENGTH IS RELATED TO THE UNIQUE TCD-MONOMER
- GOOD POLISHABILITY OF MATERIAL ESPECIALLY IN COMBINATION WITH CHARISMA EASYSHINE
- GLUMA BOND UNIVERSAL SHOULD BE USED AS ADHESIVE
- ALL CASE REPORTS MUST SHOW KULZER PRODUCTS ACCORDING TO THEIR INSTRUCTION FOR USE AND IN THEIR INDICATION (NO OFF LABEL USE!)



**KULZER**  
MITSUI CHEMICALS GROUP



## 'Before & After' photos - examples:



**Dr. Dominik Ślusarczyk**  
Katowice, Poland

**Replacement of an insufficient  
glass ionomer restoration using  
Charisma Diamond ONE.**



**Dr. Ubiracy Gaião**  
Paraná, Brazil

**Quadrant restoration using  
Charisma Diamond ONE.**



**Dr. Andreas Spaveras**  
Athens, Greece

**Reconstruction of extended  
cavities using Charisma Diamond  
ONE.**

