

Page 1/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024

Reviewed on 01/10/2024

Tel.: +49 (0)800 4372522

1 Identification

- · Product identifier
 - · Trade name: iBond Universal

- · Application of the substance / the mixture Dental bonding material
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Kulzer GmbH

Leipziger Straße 2, 63450 Hanau (Germany)

Information department:

Tel. +1 (800) 431-1785 Fax: +1 (800) 522-1545 e-mail: customer.servicehkna@kulzer-dental.com

· Emergency telephone number:

Emergency CONTACT (24-Hour-Number)
ID 105860: (domestic) 1 800 535 5053 or international (001) 352 323 3500

2 Hazard(s) identification

Classification of the substance or mixture

H225 Highly flammable liquid and vapor. Flammable Liquids 2

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. Sensitization - Skin 1 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
 - GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms





GHS02 GHS07

· Signal word Danger

· Hazard-determining components of labeling:

7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate acetone

4-methacryloxyethyltrimellitic acid anhydride

· Hazard statements

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Précautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Avoid breathing mist/vapours/spray.

(Contd. on page 2)



Page 2/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

(Contd. of page 1)

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Classification system

NFPA ratings for USA (scale 0-4)



Health = 2Fire = 3Reactivity = 0

· HMIS-Ratings (Scale 0-4)



Health = 2Fire = 3

- · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: -

	acetone	25-50%
	Flammable Liquids 2, H225 Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	10-25%
	Sensitization - Skin 1B, H317	
70293-55-9	4-methacryloxyethyltrimellitic acid anhydride	≥10-<20%
	Acute Toxicity - Oral 4, H302; Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317; Specific Target Organ Toxicity - Single Exposure 3, H335	

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· Description of first aid measures

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)



Page 3/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

(Contd. of page 2)

- · After skin contact If skin irritation continues, consult a doctor.
- · After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor
 - · Most important symptoms and effects, both acute and delayed No further relevant information available.
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
 - · Protective equipment: No special measures required.
- · Additional information -

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Prevent seepage into sewage system, workpits and cellars.
- Methods and material for containment and cleaning up:

Absorb with liquid binding material (diatomite, universal binders, for small amounts tissues).

Ensure adequate ventilation.

Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
 - · Precautions for safe handling Keep receptacles tightly sealed.
 - Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

(Contd. on page 4)



Page 4/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

(Contd. of page 3)

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
 - · Storage
 - Requirements to be met by storerooms and receptacles: Store in a cool location.
 - · Information about storage in one common storage facility: Not required.
 - · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from exposure to the light.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
 - · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-64-1 acetone

PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm

TLV Short-term value: 500 ppm Long-term value: 250 ppm

A4, BEI

· Ingredients with biological limit values:

67-64-1 acetone

BEI 25 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment

General protective and hygienic measures

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)



Page 5/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Check protective gloves prior to each use for their proper condition. recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

· Eye protection: Tightly sealed goggles.

· Body protection: Light weight protective clothing

9 Physical and chemical properties

Information on basic physical and che General Information	emical properties
· Appearance:	
Form:	Liquid Clear
· Color: · Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition · Melting point/Melting range: · Boiling point/Boiling range:	undetermined 55 °C (131 °F)
· Flash point:	-17 °C (1.4 °F)
· Flammability (solid, gaseous)	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	Not determined.
· Upper:	Not determined.
	(Contd. on page 6)

. on page c



Page 6/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

		(Contd. of page 5)	
· Vapor pressure:	Not determined.		
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	0.99 g/cm³ (8.26155 lbs/gal) Not determined. Not determined. Not determined.		
Solubility in / Miscibility with Water:	Partly miscible		
· Partition coefficient (n-octanol/v	· Partition coefficient (n-octanol/water): Not determined.		
Viscosity: dynamic: kinematic:	Not determined. Not determined.		
Solvent content: Water:	19.0 %		
· Solids content:	19.1 %		
· Other information	No further relevant information available.		

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: none
- · Additional information: -

11 Toxicological information

· Information on toxicological effects · Acute toxicity:

Acute toxicity.						
· LD/LC50 values that are relevant for classification:						
67-64-1 acetone						
Oral	LD50	5,800 mg/kg (rat)				
Dermal	LD50	>15,800 mg/kg (rabbit)				
Inhalative	LC50/4 h	76 mg/l (rat)				
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl						
bismethacrylate						
Oral	LD50	>5,000 mg/kg (rat) (OECD 401)				
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)				

· Primary irritant effect:

on the skin: No irritant effect. on the eye: Irritating effect.

· Sensitization: Sensitization possible through skin contact.

(Contd. on page 7)



Page 7/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

· Additional toxicological information: Irritant

(Contd. of page 6)

- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Reproductive toxicity Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic to	· Aquatic toxicity:		
67-64-1 acet	67-64-1 acetone		
EC50/48h	8,800 mg/l (daphnia)		
LC50/96h	6,210 mg/l (fish) (OECD 203)		
72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl			
b	bismethacrylate		
EC50/48h	>1.2 mg/l (daphnia) (OECD 202)		
LC50/96h	10.1 mg/l (fish) (OECD 203)		
ErC50 / 72 h	>0.68 mg/l (algae) (OECD 201)		
NOEC / 72h	0.21 mg/l (algae) (OECD 201)		

· Persistence and degradability

67-64-1 acetone

biodegradability 90.9 % /28d (not defined) (OECD 301D)

72869-86-4 7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate

biodegradability 22 % /28d (not defined) (OECD 301B; ISO/ 9439/ EEC 92/69/V, C.4-C)

- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - Mobility in soil No further relevant information available.
- · Additional ecological information:
 - · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- Other adverse effects No further relevant information available.

US



Page 8/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

UN1090

· UN proper shipping name

· DOT

· ADR

· IMDG, IATA

Acetone solution

1090 ACETONE solution ACETONE solution

· Transport hazard class(es)

·DOT



· Class

· Label

3 Flammable liquids

3

· ADR



· Class · Label 3 (F1) Flammable liquids

3

· IMDG, IATA



· Class · Label 3 Flammable liquids

3

(Contd. on page 9)

US



Page 9/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

	(Contd. of page
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
· Special precautions for user · Hazard identification number (Kemler · EMS Number: · Stowage Category	Warning: Flammable liquids r code): 33 F-E,S-D E
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	-
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 50 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 50 ml
· UN "Model Regulation":	UN 1090 ACETONE SOLUTION, 3, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

Proposition 65

Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)



Page 10/10

Safety Data Sheet acc. to OSHA HCS

Printing date 01/10/2024 Reviewed on 01/10/2024

Trade name: iBond Universal

(Contd. of page 9) · Chemicals known to cause developmental toxicity: None of the ingredients is listed. Cancerogenity categories EPA (Environmental Protection Agency) 67-64-1 acetone · TLV (Threshold Limit Value) 67-64-1 acetone A4 NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowe'd.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

Date of preparation / last revision 01/10/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids - Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1B: Skin sensitisation – Category 1B

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.